

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.03.2017

Revision: 23.03.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: **White topcoat, glossy, Classic No. 935**

Article number: 935

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

Application of the substance / the mixture Lacquer

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

AURO AG

Alte Frankfurter Str. 211

D-38122 Braunschweig

nieder@auro.de

Further information obtainable from: product safety department

**1.4 Emergency telephone number:** During normal opening times: +49 531 281 41 19

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3            H226 Flammable liquid and vapour.

Skin Sens. 1            H317 May cause an allergic skin reaction.

Aquatic Chronic 2    H411 Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02

GHS07

GHS09

Signal word Warning

Hazard-determining components of labelling:

orange oil

Hazard statements

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.03.2017

Revision: 23.03.2017

**Trade name: White topcoat, glossy, Classic No. 935**

(Contd. of page 1)

**· Dangerous components:**

CAS: 8028-48-6 EINECS: 232-433-8	orange oil ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	10-25%
CAS: 64-17-5 EINECS: 200-578-6	ethanol ⚠ Flam. Liq. 2, H225	1 - 10%

**· Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****· 4.1 Description of first aid measures****· After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**· After skin contact:** Immediately wash with water and soap and rinse thoroughly.**· After eye contact:** Rinse opened eye for several minutes under running water.**· After swallowing:** If symptoms persist consult doctor.**· 4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.**· 4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.**SECTION 5: Firefighting measures****· 5.1 Extinguishing media****· Suitable extinguishing agents:** CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**· For safety reasons unsuitable extinguishing agents:** Water with full jet**· 5.2 Special hazards arising from the substance or mixture** No further relevant information available.**· 5.3 Advice for firefighters****· Protective equipment:** No special measures required.**SECTION 6: Accidental release measures****· 6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

**· 6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

**· 6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

**· 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****· 7.1 Precautions for safe handling** No special precautions are necessary if used correctly.**· Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**· 7.2 Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:** No special requirements.**· Information about storage in one common storage facility:** Not required.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.03.2017

Revision: 23.03.2017

Trade name: White topcoat, glossy, Classic No. 935

(Contd. of page 2)

- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.

### 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

#### 64-17-5 ethanol

WEL	Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm
-----	----------------------------------------------------

- Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
  - Immediately remove all soiled and contaminated clothing
  - Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- Protection of hands:
  - Check the permeability prior to each anewed use of the glove.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form:	Viscous
-------	---------

Colour:	According to product specification
---------	------------------------------------

- Odour: Characteristic

- Odour threshold: Not determined.

- pH-value: Not determined.

- Change in condition

Melting point/freezing point:	Undetermined.
-------------------------------	---------------

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.03.2017

Revision: 23.03.2017

**Trade name: White topcoat, glossy, Classic No. 935**

(Contd. of page 3)

<i>Initial boiling point and boiling range:</i> 165 °C	
· <i>Flash point:</i>	23 - 60 °C
· <i>Flammability (solid, gas):</i>	Not applicable.
· <i>Ignition temperature:</i>	255 °C
· <i>Decomposition temperature:</i>	Not determined.
· <i>Auto-ignition temperature:</i>	Product is not selfigniting.
· <i>Explosive properties:</i>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <i>Explosion limits:</i>	
<i>Lower:</i>	0.7 Vol %
<i>Upper:</i>	6.1 Vol %
· <i>Vapour pressure at 20 °C:</i>	2.1 hPa
· <i>Density at 20 °C:</i>	1.2 g/cm <sup>3</sup>
· <i>Relative density</i>	Not determined.
· <i>Vapour density</i>	Not determined.
· <i>Evaporation rate</i>	Not determined.
· <i>Solubility in / Miscibility with water:</i>	Not miscible or difficult to mix.
· <i>Partition coefficient: n-octanol/water:</i>	Not determined.
· <i>Viscosity:</i>	
<i>Dynamic:</i>	Not determined.
<i>Kinematic at 20 °C:</i>	45 s (ISO 6 mm)
<i>VOC (EC)</i>	300.0 g/l
· <b>9.2 Other information</b>	No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- *Acute toxicity* Based on available data, the classification criteria are not met.

· *LD/LC50 values relevant for classification:*

### 8028-48-6 orange oil

Oral	LD50	4400 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)

- *Primary irritant effect:*
- *Skin corrosion/irritation* Based on available data, the classification criteria are not met.
- *Serious eye damage/irritation* Based on available data, the classification criteria are not met.
- *Respiratory or skin sensitisation*  
May cause an allergic skin reaction.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.03.2017

Revision: 23.03.2017

Trade name: White topcoat, glossy, Classic No. 935

(Contd. of page 4)

- *CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)*
- *Germ cell mutagenicity* Based on available data, the classification criteria are not met.
- *Carcinogenicity* Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- *STOT-single exposure* Based on available data, the classification criteria are not met.
- *STOT-repeated exposure* Based on available data, the classification criteria are not met.
- *Aspiration hazard* Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- *Aquatic toxicity:* No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- *Ecotoxicological effects:*
- *Remark:* Toxic for fish
- *Additional ecological information:*
- *General notes:*  
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- *PBT:* Not applicable.
- *vPvB:* Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
  - *Recommendation* Must not be disposed together with household garbage. Do not allow product to reach sewage system.
  - *European waste catalogue*
- |           |                                                                                   |
|-----------|-----------------------------------------------------------------------------------|
| 08 01 11* | waste paint and varnish containing organic solvents or other hazardous substances |
|-----------|-----------------------------------------------------------------------------------|
- *Uncleaned packaging:*
  - *Recommendation:* Disposal must be made according to official regulations.

## SECTION 14: Transport information

- |                                                                                                                                                             |                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· <i>ADR, IMDG, IATA</i></li> </ul>                                                 | UN1263                                                                                                         |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <i>ADR</i></li> <li>· <i>IMDG</i></li> <li>· <i>IATA</i></li> </ul> | 1263 PAINT, ENVIRONMENTALLY HAZARDOUS, special provision 640E<br>PAINT (orange oil), MARINE POLLUTANT<br>PAINT |

(Contd. on page 6)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.03.2017

Revision: 23.03.2017

Trade name: White topcoat, glossy, Classic No. 935

(Contd. of page 5)

## · 14.3 Transport hazard class(es)

· ADR, IMDG



· Class 3 Flammable liquids.  
· Label 3

· IATA



· Class 3 Flammable liquids.  
· Label 3

## · 14.4 Packing group

· ADR, IMDG, IATA III

## · 14.5 Environmental hazards:

· Marine pollutant: Product contains environmentally hazardous substances: orange oil  
Yes  
Symbol (fish and tree)  
· Special marking (ADR): Symbol (fish and tree)

## · 14.6 Special precautions for user

· Danger code (Kemler): Warning: Flammable liquids.  
30  
· EMS Number: F-E, S-E  
· Stowage Category: A

## · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

## · Transport/Additional information:

· ADR

· Limited quantities (LQ)

· Excepted quantities (EQ)

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category

3

· Tunnel restriction code

D/E

· IMDG

· Limited quantities (LQ)

· Excepted quantities (EQ)

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 1263 PAINT, SPECIAL PROVISION 640E, 3, III, ENVIRONMENTALLY HAZARDOUS

## SECTION 15: Regulatory information

## · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 7)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.03.2017

Revision: 23.03.2017

Trade name: **White topcoat, glossy, Classic No. 935**

(Contd. of page 6)

- *Seveso category*  
E2 Hazardous to the Aquatic Environment  
P5c FLAMMABLE LIQUIDS
- *Qualifying quantity (tonnes) for the application of lower-tier requirements* 200 t
- *Qualifying quantity (tonnes) for the application of upper-tier requirements* 500 t
- *REGULATION (EC) No 1907/2006 ANNEX XVII* Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- *Relevant phrases*  
H225 Highly flammable liquid and vapour.  
H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.
- *Department issuing SDS:* product safety department
- *Contact:* N.N.
- *Abbreviations and acronyms:*  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

GB